

Work Order ID 72205

Wednesday, July 20, 2011 7:51:33 AM



Page 1

Item ID: D3911-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Basket Installation Stud Assembly, Lower

Start Date: 7/19/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 7/26/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan:

Date: 11-07-2011 Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start



Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D3911

D

100

Pick Kit

0.00



Packaging

Memo

0.00

Packaging

110

0.00



Small Fab

Memo

0.00

Small Fab

1- Assemble D3911-5 to D3911-1 and install rivet as per dwg
Trim rivet to 1.250" Full Length

120

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

EP 11/07/2011 (4)

EP 11/07/2011 (4)

M 11 07 2011 (4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 72205

Wednesday, July 20, 2011 7:51:33 AM



Page 2

Item ID: D3911-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Basket Installation Stud Assembly, Lower

Start Date: 7/19/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 7/26/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start



QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Identify as per dwg & Stock Location: 507

0.00

Packaging

Memo

0.00

Packaging

11/7/21 (4)

140



QC21- Final Inspection - Work Order Release

0.00

QC

Memo

0.00

Quality Control

11/7/22 J11/07/21 (11)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, July 20, 2011 7:51:40 AM

Page 1

Work Order ID: 72205

Parent Item: D3911-041

Parent Item Name: Basket Installation Stud Assembly, Lower




Start Date: 7/19/2011

Required Date: 7/26/2011

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP RevA: New issue DD verified by:EC
AS PER REV B 10-03-23 JLM VERIFIED BY:DD IPP Rev:C as per dwg
revC 10.04.07 Verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3911-1  Basket Installation Stud, Lower		Manufactured	No			100	Each	4.0000	1	4			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST091		4							
				66229		4							
D3911-5  Basket Stud Plate		Manufactured	No			100	Each	15.0000	2	8			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST091		15							
				67004		2							
				69043		13							
MS20615-4M20  RIVET		Purchased	No			100	Each	100.0000	3	12			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				GA		100							
				117071		100							

Handwritten signature and date: 7/20/2011

Handwritten signature and date: 7/20/2011

Handwritten signature and date: 7/20/2011

Handwritten number: 12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
	X		D3911-041	BASKET INSTL STUD ASSY (LOWER)
		X	D3911-043	AFT EYEBOLT RECEIVER ASSY
1	1		D3911-1	BASKET INSTL STUD (LOWER)
2		1	D3911-3	AFT EYEBOLT RECEIVER
3	2		D3911-5	BASKET STUD PLATE
4		2	D3911-7	BASKET PLATE-EYEBOLT RECEIVER
5	3	4	MS20615-4M20	RIVET




D3911-041 BASKET INSTL STUD ASSY (LOWER)

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D3911-04X USING FINE POINT PERMANENT INK MARKER

7) WEIGHT/-041: 0.63 lbs
-043: 0.99 lbs



D3911-043 AFT EYEBOLT RECEIVER ASSY

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 22205

2011-07-20

RELEASED
2010-08-06

D	0.825 +0.000/-0.010 WAS 0.85 (B1-2)	MB	10.06.22
C	BOM, QTY (2): D4087-1 & MS21209-C610 REMOVED FROM -043 ASSY. WEIGHT UPDATED. D3911-3 REDESIGNED. D3911-043 & D3911-3 DETAIL UPDATED. MTL SPEC ADDED TO NOTES (SHT 2). DIM 0.375 WAS 0.400 (C3-3).	JPH	10.04.06
B	DIAMETER (B3-2) AND DIM ADDED (B2-2) & (C3-2)	JPH	10.03.16
A	NEW ISSUE	JPH	10.03.04
REV.	DESCRIPTION	BY	DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	JPH	DRAWING NO.	REV. D
MFG. APPR.	JPH	D3911	SHEET 1 OF 3
APPROVED	JPH	TITLE	SCALE
DE APPR.	JPH	AFT HARDPOINT, BASKET	NTS
DATE	10.06.22	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

8

7

6

5

4

3

2

1

D

C

B




A

D




C

B


A

**D3911-1 BASKET INSTL STUD (LOWER)****NOTES:**

- 1) MATERIAL -1: 303/304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 OR ASTM A582
PER DART SPEC M303R OR M304R
- 3: 303/304/316 STAINLESS STEEL BAR, PER ASTM A276 OR ASTM A582
PER DART SPEC M303B OR M304B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
- 7) WEIGHT -1: 0.36 lbs
-3: 0.71 lbs

**D3911-3 AFT EYEBOLT RECEIVER**

12205

**SECTION A-A****RELEASED**
2010-08-04

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	JB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JP	DRAWING NO. D3911	REV. D
MFG. APPR.	JP	SHEET 2 OF 3	
APPROVED	JP	TITLE AFT HARDPOINT, BASKET	SCALE NTS
DE APPR.	JP	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
DATE	10.06.22	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMING INTO THE HANDS OF ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries



D3911-5 BASKET STUD PLATE

NOTES:

- 1) MATERIAL -5 & -7: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
PER DART SPEC M304S11GA OR M303S11GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
- 7) WEIGHT--5: 0.13 lbs
--7: 0.13 lbs



D3911-7 BASKET PLATE-EYEBOLT RECEIVER

RELEASED
2010-08-06

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D3911	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		AFT HARDPOINT, BASKET	
DATE	10.06.22	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries